

EDITION
2015



Page No. 03 	Page No. 03 	Page No. 06 	Page No. 09
Page No. 08 	Page No. 08 	Page No. 09 	Page No. 10
Page No. 12 	Page No. 13 	Page No. 14 	Page No. 15
Page No. 04 	Page No. 16 	Page No. 17 	Page No. 22
Page No. 24 	Page No. 26 	Page No. 27 	Page No. 29

BLUE EAGLE **Power Tool** **HEAVY DUTY** **PRIME CAPTAIN** **American Safety** **SAFETY** **SAFETY** **Focus** **Safety Glasses**

Safety is First Priority

Specialist Deal in



Welder Safety Items Chemical Safety Items Construction Safety Items Fire Safety Items Electrician Safety Items



CONTENTS

S. No.	Description	Page	S. No.	Description	Page
1	FACTORY PICTURE & ABOUTUS	01	16	EYE PROTECTION	18 - 19
2	RIGGER GLOVES / COW SPLITLEATHER	02-03	17	BLUE EAGLE EQUIPMENT	20 - 21
3	WELDER'S LEATHER GLOVES	04	18	RAIN SUIT AND RAIN COAT	22
4	WELDER'S SAFETYGARMENT	05	19	SAFETY BELT & HARNESS	23
5	COTTON GLOVES	06	20	BREATH PROTECTION	24
6	PVC RUBBER & CHEMICALGLOVES	07	21	GAS MASK	25
7	LATEX NITRILE & PU COATED GLOVES	08	22	ROAD SAFETY EQUIPMENTS	26
8	UNIFORM	09	23	ROAD SIGN / ROAD SAFETY	27
9	PRIME CAPTAIN / COVERALL & LABOUR UNIFORMS	10-11	24	FIRSTAID BOX	28
10	FLAME RETARDANT & REFLECTIVE COVERALL	12	25	BURN FIRSTT AID KITS	29
11	FIRE SAFETY	13	26	COOLBIT	30
12	SAFETY SHOES	14	27	COOLBIT VEST WARM/COOL / COTTON RAGS	31
13	AMERICAN SAFETY BOOT	15	28	COTTON CANVAS TENT & TARPAULINES	32
14	WELLINGTON BOOT	16	29	DUBAI SHOWROOM	33
15	HELMET	17			

DUBAI (HEAD OFFICE)

QADRI & QURESHI GENERAL TRADING (L.L.C.)

Tel. No. : 04-2289661 (5 Lines), Fax: 04-2289139
 Mobile : 00971 50 7199486 (Abdul Karim)
 Mobile : 00971 55 3092595 (Yusuf)
 Nasir Square, Hardware Market, Deira, Dubai
 E-mail : karim@safety1stsafety.com
 Website : www.safety1stsafety.com

QADRI & QURESHI GENERAL TRADING (Dubai Branch)

Tel. No. : 00971 4 2240048, Fax: 00971 4 2240039,
 Mobile : 00971 50 5449091 / 050-5974166
 Shop No. 06, Near Tara Hotel, Nasir Square, Deira,
 Dubai - U.A.E, P.O.Box: 81273
 Email : amir@safety1stsafety.com
 Website : www.safety1stsafety.com

WAREHOUSE :

Tel. No. : 00971 4 3236152, Fax : 00971 4 3236153
 Email : mudassir@safety1stsafety.com
 Address : Industrial Area No. 4, Al Quoz, Dubai

American Safety Manufacture Company (Pakistan Branch)

Manufacturer & Exporters
 Plot No.1&2,12&13 E-IV Phase-II,
 Karachi Export Processing
 Zone Karachi-Pakistan.
 Phone : 0092 21 351 30991
 Email : qadri@americansafety.com.pk
 Web : www.americansafety.com.pk

ABDUL HAKEEM SAEED & AL OTAIBI TRADING EST. (SAUDI ARABIA Branch)

Tel : 00966 138979763, Fax : 00966 138967984,
 Mobile : 00966 58 1226626,
 Address : Prince Saad Street, Cross 5,
 Al Khobar, K.S.A
 Email : attari@safety1stsafety.com,
 Web Site : www.safety1stsafety.com

FACTORY



BRANDS REGISTERED BY AL BAQEH BUILDING MATERIAL TRADING L.L.C.



ABOUT US

QADRI & QURESHI GENERAL Trading LLC. is a professional industrial safety product manufacturer and supplier, which was established more than five years. I gives us great pleasure to introduce ourselves as one of the region's leading suppliers of safety such as an industrial leather gloves, labours safety uniforms, cotton canvas tarpaulin covers and tents.

We are specialised in all types of working and industrial leather gloves, all types of labour uniforms, rain wear, safety shoes, safety head gear, high visibility jackets and road safety products.

A major part of our business is conducted with companies that are ISO 9000 certified and observe stringent international quality safety standards. We are also suppliers to government agencies in the region and confirm to their highest standards with respect to safety specification.

Our speciality of safety products confirm to all leading TUV and EN certificate as per EN standard.

At our company you will find only the best quality products and friendliest services in town. We are a company that truly believes in the adage that the customer is always right and is our most valuable commodity.

Welcome to all our valuable customers to our company for discussions on any business or corporation.



Cow Split AB Grade Leather Full Palm Glove:
 Brand : American Safety
 Rigger Style Palm Lined
 Stripped Cotton Back & Cuff
 Rubberized Cuff.
 Size : 10.5"
 CE Approved Comply with
 EN 407 & EN 388
 Made in Pakistan
 Art No. : 1349



Yellow Patched Palm:
 Brand : Power Tool
 Cow Split Leather Patched
 Palm in A/B Grade,
 Fabric : Cotton Drill
 Made in Pakistan
 Art No. : 2440-1400



Cow Split Leather Yellow:
 Brand : Power Tool
 Rigger Style Full Palm Leather
 Yellow & Rubberized Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : STN 2900 - 1300



Cow Split Leather Palm Glove:
 Brand : American Safety
 Rigger Style Palm Lined Nature
 Cotton Back & Canvas Pasted Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : P 999



Canvas Rubberized Cuff
 Brand : American Safety
 Double Palm Glove
 Rigger Style Palm Lined Nature
 Size : 10.5"
 Made in Pakistan
 Art No. : IJBD 2700 - 500



Green Gumti : Cow Split Leather Royal Green
 Brand : American Safety
 Double Palm Glove
 Rigger Style Palm Lined, Cotton Drill
 Black & Rubberized Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : IJBD : 2700 - 400



Green Gumti :
 Brand : American Safety
 Full Palm Glove & Back Cotton
 Rigger Style Palm Lined,
 & Rubberized Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : 1670



Red Cuff Single Palm Glove
 Brand : Power Tool
 Rigger Style Palm Lined, Stripped
 Cotton Back & Cuff, Rubberized Cuff.
 Size : 10.5"
 CE Approved Comply with
 EN 407 & EN 388
 Made in Pakistan
 Art No. : 1200 - 1200



Flower Glove:
 Brand : Power Tool
 Palm Sheep Leather 2.5"
 Cuff Split Leather
 Size : 10.5"
 Made in Pakistan
 Art No. : S 2511



Flower Glove:
 Brand : Power Tool
 Palm Cow Split Leather 2.5"
 Cuff Split Leather
 Size : 10.5"
 Made in Pakistan
 Art No. : C 2510



Cow Split AB Grade Leather
 Brand : American Safety
 Full Palm Glove :
 Rigger Style Palm Lined,
 Black & Rubberized Cuff,
 Size : 10.5" & 14"
 Made in Pakistan
 Art No. : 1669



Cow Split Leather Glove :
 Brand : American Safety
 Back Cotton Strip
 Rubberized Cuff, Full Lining 3" Cuff
 Size : 10.25"
 Made in Pakistan
 Art No. : 1005



Yellow Fabric Glove :
 Brand : Power Tool
 Yellow Dyed Gloves
 Color : Red Cuff Yellow Deyed
 Size : 10.25"
 Made in Pakistan
 Art No. : 808



Denam Jeen Glove:
 Brand : Power Tool
 Cow Split Leather Patch Palm
 3" Cuff Back Cotton Demean Cloth
 Size : 10.25"
 Made in Pakistan
 Art No. : 3313



Cow Split Leather Golden Yellow Double Palm Glove:
 Brand : Power Tool
 Rigger Style Palm Lines, Cotton Drill
 Yellow & Rubberized Cuff
 Size : 10.5", Made in Pakistan
 Art No. : STN 2900 - 1300



Furniture Glove:
 Brand : Power Tool
 Black Cow Grain Leather
 with 3" Rubberized Cuff,
 Size : 10.5"
 Made in Pakistan
 Art No. : F 3001



Cow Split Leather Welding Gloves
 Back Full Pcs. of Leather A Grade
 Full Inner Flees Lining
 Full Black Leather Piping Covering to Seem
 Inside of Cuff Cotton Lining
 Size : 16" = 40cm
 CE Approved Comply with EN388 & EN407
 Color : Red
 Made in Pakistan
Art No. : WGT : 207



Cow Split Leather Welding Gloves
 Back Full Pcs. of Leather A Grade
 Full Inner Flees Lining
 Full Yellow Leather Piping Covering to Seem
 Yellow Double Palm for Extra Protection
 Inside of Cuff Cotton Lining
 Size : 16" = 40cm
 CE Approved Comply with EN388 & EN407
 Made in Pakistan
Art No. : WGGT : 210



Cow Split Leather Welding Gloves
 Back Full Pcs. of Leather A Grade
 Full Inner Flees Lining
 Inside of Cuff Cotton Lining
 Size : 16" = 40cm
 Color : Brown
 Standard Level : EN388 & EN407
 Made in Pakistan
Art No. : WGT : 212



Cow Split Leather Welding Gloves
 Back Full Pcs. of Leather A Grade
 Full Inner Flees Lining
 Back of Cuff Cotton Lining
 Size : 16" = 40cm
 Color : Red
 Standard Level : EN388 & EN407
 Made in Pakistan
Art No. : WGR : 203



Cow Split Leather Welding Gloves
 Back Full Pcs. of Leather A Grade
 Full Inner Flees Lining
 Back of Cuff Cotton Lining
 Size : 16" = 40cm
 Color : Gray
 Standard Level : EN388 & EN407
 Made in Pakistan
Art No. : WGW : 204



Welding Fabric Gloves
 Back Full Pcs.
 Back of Cuff Cotton Lining
 Size : 16" = 40cm
 Color : Red, Yellow and Green
 Standard Level : EN388 & EN407
 Made in Pakistan
Art No. : WGW : 808



Leather Driving Gloves
 Straight Thumb
 Full Goat Leather Size : 10.5"
 Back Cotton Piping
 Made in Pakistan
Art No. : D 221



Argon Tig Master Welding Gloves
 Palm & Back Goat Leather
 Cow Slip Leather Cuff with Cotton Piping
 Brown Color and Natural Color
 Size : 12"
 Made in Pakistan
Art No. : TM : 4000



Argon Tig Welding Gloves
 Palm & Back Goat Leather
 Cow Slip Leather Cuff with Cotton Piping
 Natural Color
 Size : 15"
 Made in Pakistan
Art No. : TM : 210



Leather Trousers
 Cow Split Leather Size : M to 2XL
 Color Natural
 Elastic on Back for Adjustment
 Button for Adjustment
 Made in Pakistan
Art No. : 2700



Full Pcs. Leather Apron
 Cow Split Leather Size : 24 x 36" & 36 x 42"
 Color Natural & Brown, Cotton
 Green Piping Border
 Adjustment with Buckle
 Made in Pakistan
Art No. : 1000



Welder Leather Jacket
 Cow Split Leather
 Size : XL, 2XL, Color Natural & Brown
 Adjustment Button on Sleeves
 Made in Pakistan
Art No. : 2500



Leather Apron
 Cow Split Leather
 Size : 24 x 36, 36 x 42, 36 x 48"
 Color Natural & Brown
 Cotton Green Piping Border
 Adjustment with Buckle
 Made in Pakistan
Art No. : 2200



Leather Leg Guard + Shoe Cover
 Cow Split Leather
 Size : 16", Color Natural
 Full Back Velcro for Adjustment
 Elastic Under Shoe Covering
 Made in Pakistan
Art No. : 900



Leather Sleeves /
Cow Split Leather
 Size : 23 x 11"
 Color Natural & Brown
 Cotton Black Piping Border
 Adjustment with Buckle
 Made in Pakistan
Art No. : 900



Welder Leather Jacket / Cow Split Leather
 Size : XL, 2XL, Color Natural &
 Brown Cotton Green Piping Border
 Adjustment Button on Sleeves
 Made in Pakistan
Art No. : 2400



Leather Leg Guard / Cow Split Leather
 Size : 16", Color Natural
 Back Velcro & Buckle for Adjustment
 Made in Pakistan
Art No. : 800

COTTON GLOVES



Description : 10 Gauge Cotton Liner, Palm with PVC Dots
Liner Colors : White Coating Colors : Any Colors
Applications : Refrigerated Areas, Food Processing General Maintenance, Parts Handling, Shipping and Receiving, Bottling Industries, General Purpose Work, Assembly, Packing and Packaging, General Maintenance, Standard : EN388
 Electronics. **Art No. : NH 19B**



NH 19



KEVLAR GLOVES
 100% Kevlar String Knit, 10 Gauge
 260 Degree Heat Protection
 60gm Pair
 Cut and Heat Resistant
NH 19B



Art No. : NH 15



Art No. : NH 16



Art No. : NH 17

Polka Dot Cotton Drill Gloves

Men's Cotton Drill Glove, with PVC Polka Dots 100% Cotton Elastic Wrist Red & Natural Color Economical Light Weight : 8 OZ, Medium Weight : 10 OZ, Heavy Weight 12 OZ, Size : 10"



Orange, Gray & Natural 100% Cotton & Poly Cotton Seamless Gloves Two-Side PVC Dots, Size : 10.5"
Art No. : NH 18T



Gray & Bleached White 100% Cotton & Poly Cotton Seamless Gloves 450 GM, Size : 10"
Art No. : NH 20




Gray & Bleached White 100% Cotton & Poly Cotton Seamless Gloves 800 GM Size : 10.5"
Art No. : NH 22



Cotton Drill Gloves
 Men's Cotton Drill Glove 100% Cotton Elastic Wrist Red & Natural Color weight : 650 to 900 GM/DOZ Construction 8 to 12 OZ Size : 10.25"
Art No. : NH 13

PVC RUBBER & CHEMICAL GLOVES



Half Coated PVC Dipped Glove
 Open Back Coated
 PVC Coated Glove, Interlock Cotton Liner, Knit Wrist, Size : 26cm
 Red Color CE Approved
 Comply with EN 420, EN 388
Art No. : FC 718



PVC Dipped Glove
 Full Coated
 PVC Coated Glove, Interlock Cotton Liner, Knit Wrist, Size : 26cm
 Red Color CE Approved
 Comply with EN 420, EN 388
Art No. : FC 719



Orange & Yellow Nitrile Coated Open Back, Interlock Lined, Knit Wrist. Size : 25cm
Art No. : YH 721



PVC Dipped Gauntlet
 PVC Fully Dipped Gauntlet, Interlock Cotton Liner Length : 27cm, 35cm, 40cm, 45cm, CE Approved Comply with EN 420, EN 388
Art No. : FC 717



Blue Nitrile Gloves
 Full coated Knit Wrist Interlock Liner Color Available in Yellow and Orange also. Size 9 and 10 EN 388



Blue Nitrile Gloves
 Full Coated with Safety Cuff Interlock Liner/Jersey Liner Color Available in Yellow and Orange also. Size 9 and 10 EN 388



Red PVC Double Dipped, Roug Finish
 Interlock Lined, 27cm, 30cm, 35cm, 40cm, 45cm
 Comply with EN 420, EN 388



Green PVC Double Dipped Rough Finish
 Flees Lined, 27cm, 30cm, 35cm, 40cm, 45cm
 Comply with EN 420, EN 388

Latex Industry Gloves
 Nature Latex Industrial Glove 2 - Color Construction Red Inner Black Outer Un-lined Length 35cm SG-100 Smooth Finish, Medium Wight = 100 G SG-200 Smooth Finish, Medium Wight = 200 G SGW-100 Wrinkle Finish, Medium Wight = 100 G SG-200 Wrinkle Finish, Medium Wight = 200 G



Art No. : SG-100



Green Nitrile, Abrasion Cut and Puncture Resistant, Extensive Chemical Protection Embossed no Slip Wet or Dry Grip Length: 34cm, 40cm, 48cm Size: 8, 9, 10, 11 CE EN 388, 374-3, 374-2.
Art No. : GL1015



Y.G.L. 8551



Y.B.2551



B.R.2526

Discription: 10 Guage Polyester or T/C Liner, Palm Coated with 100% Natural Rubber, Crinkle
Liner Colors: Yellow, Grey, Black, Red
Coating Colors: Blue, Green, Orange, Black

Latex Gloves For General Purpose

Many Of Your General Purpose Application Call For Dexterity as Well as Protection. The Solution is Latex Gloves. This Category of Gloves Features A Durable, Comfortable Liner and A Protective Coating for Outstanding Dexterity and Hand Protection. It Provides Excellent Durability in the Industrial Workplace and Feature. A General Purpose Poly-cotton Latex Coating Processed.

Latex Coated Gloves Features

Feel the Power You Get From A Combination of Cut, Abrasion Puncture Resistance; Superior Wet and Drygrip and Unbelievable Comfort. Latex Coated Gloves Feature A Soft Gray, Seamless Poly/cotton Knit Liner that is Palm Dipped with A Textured, Natural Rubber Coating. The Uncoated Black Allows Air Circulate which Keeps Hands Cooler and Drier and the Fullycoated Thumb Provides Added Protection in This High-risk Area.. our Glove are Build to Last.

Applications

General Maintenance, Shipping & Receiving, Assembly, Concrete & Brick Handling, Lumber Handling, General Plant Use, Cement Finishing, Roofing Components, Packing Inspection, Precision Assembly And When Using Drilling, Steamfitting and Glass Installation (Glazing); A Great Alternative to Leather!



Y.C.2231



Discription : 13 Guage Nylon or Polyester Liner Coated With Nitrile Normal & Crinkle Finish
Liner Colors : White, Grey, Red, Yellow, Black
Coating Colors : Blue, Green, Grey, Yellow, Black **N.H.010**



P.U.W 13



P.U.B 72

Applications

Handling and Assembly of Electronic Components When Using Delicate Tools and Sensitive Instruments Lightweight Assembly Work Where A Clean Glove is Preferred Excellent for Phar-maceutical Packaging, Inspection, Computer Assembly, Automotive Assembly, Small Parts Handling.

Winter Gloves

Waterproof Insulated Winter Gauntlet Gloves keep your hands dry and warm.

Art No. **W943**



Doha Coverall with Reflective Tape

Model: **D592**

- Brand: Prime Captain
- High Quality Reflective Coverall
- 50mm Reflective Tapes on Knee, Guards, Sleeves and Shoulders
- 2 Swing Pockets with Side Access
- Zip Front with Cover Placket
- 2 Chest Pockets with Flap Buttons
- 2 Back Pockets with Flap Velcro
- Quality Elasticised Both Sides on Waist with Velcro Belt

Fabric / Material: 100% Cotton 300 Gsm

- EN 340-1993
- Size : S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Color : Red | Gray | Light Blue | Dark Blue | Orange | Beige



PRIME CAPTAIN



Twill Cotton Coverall with Reflective Tape

Model : **R989**

- Brand: Prime Captain
- High Quality Reflective Coverall
- 50mm Reflective Tapes on Knee, Guards, Sleeves and Shoulders
- 2 Swing Pockets with Side Access
- 2 Chest Pockets with Flap Buttons
- 2 Cargo Pockets with Flap
- 2 Back Pockets
- Quality Elasticised Both Sides on Waist with Velcro Belt

Fabric / Material: Cotton 200 Gsm

- EN 340-1993
- Size : S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Color : Red | Gray | Light Blue | Dark Blue | Orange | Beige



ELECTRIC GLOVES



Art No. JS 1013

- Product Information:
- Color: Off-White
 - Thickness: As Per EN 60903
 - Palm Size: 10"
 - Length: 360mm

Type: Seamless Rubber Insulated Type

Applications:
Used for Working in Electrical Works within the Specified Limits Indicated on Each & Every Gloves & Outer Bag.



Types of Gloves Confirming to IS: 4770-1991

Type	Proof (Test) Voltage (RMS)	Working Voltage (RMS) Max
1	5000 Volts	650 Volts
2	10000 Volts	1100 Volts
3	17000 Volts	7500 Volts
4	25000 Volts	17000 Volts



Balaclava with Multiple Application. Face Mask, Full Balaclava.

- Features:
- 100% Cotton Twill Fabric Upper
 - 100% Cotton Liner
 - Antibacterial Protection Fabric
 - Color : Dark Blue, Sky Blue & Bieght
- Art No. : **Y.C. 2121**



Poly Cotton Lab Coat

- Brand : Workmaster
Size : M to 4XL
Construction 23x23 = 86x56
Color : White, Sky Blue and Dark Blue
Art. No. **1217**



European Coverall

Model: EUC 280

- Brand: Prime Captain
- 2 Swing Pockets with Side Access
- 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders.
- Zip Front with Cover Placket
- 2 Breast Flap Pockets 1 with Zip Access & 1 with Pen Pocket
- 1 Extra Pocket on Chest with Zipper
- 2 Cargo Pockets
- 2 Back Pockets 1 with Flap Velcro & 1 with Zipper
- Pen Pocket on Left Hand Sleeve
- Quality Elasticised Back

Fabric / Material:

- 240 Gsm
- EN 340-1993
- Reflector EN 741
- Size S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Available Colors : Navy Blue | Grey



European Style Pant/shirt 2 Pcs

Model: EUPS 240

- Brand: Prime Captain
- 2 Piece Pant & Shirt
- 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders.
- 2 Swing Pockets in Trouser with Side Access & Patch Mobile Pocket
- Zip front with Cover Placket
- 4 Chest Pockets with Zippers & 2 with Side Access
- 2 Extra Pockets on Chest with Flap Velcro
- 1 Ruler Pocket on Right Side of the Trouser
- 2 Cargo Pockets in Trouser with Flap Velcro
- 2 Back Pockets in Trouser with Flap Velcro

Fabric / Material:

- 240 Gsm
- EN 340-1993
- Reflector EN 741
- Available Size : S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Available Colors : Navy Blue | Grey



Prime Captain

Cotton Pre-Shrink Sanforized - Mercerized
No Color Bleeding, Fast Color, Fabric Construction
195 to 200 GSM, 21x21=108x58,
Color : Light Blue, Dark Blue, Red, Orange,
Beige, White, Gray
Size : S to 5XL



Coverall (Size in Inch)

	S.	M	L	XL	2XL	3XL	4XL	5XL
CHEST	44	46	48	51	53	55	57	59
WAIST	41	43	44.5	48	50	52	54	56
SEAT	43	45	47	50	52	54	56	58
OVERALL LENGTH	61	61.4	62.4	63	64	65	65	66

Cotton Pre-Shrink

Shirt & Pant (Size in Inch)

	S	M	L	XL	2XL	3XL	4XL	5XL
CHEST	100	105	110	115	120	125	130	135
WAIST	84	88	92	96	100	104	108	112
SEAT	100	104	108	112	116	120	124	128
LENGTH	71	73	75	77	79	81	83	85
PANT LENGTH	99	101	103	105	107	109	111	113



Prime Captain Jacket & Trouser

Cotton Pre-Shrink Sanforized - Mercerized
No Color Bleeding, Fast Color, Fabric Construction
21x21 = 108x58, 195 to 200 GSM
Color : Light Blue, Dark Blue, Beige
Size : S to 4 XL



Art No. : F1023



Art No. : F1022



Flame Retardant Coverall

100% Cotton Pre Shrink
240 Gsm and 300 Gsm
Reflective Tap Size : 50mm
Size : S | M | L | XL | 2XL | 3XL | 4XL
Colors : Orange | Navy Blue | Red
Pockets : 2 Pocket Front 2 Back 2 Side
International Standard ISO 116212
Confirms to European Standard EN 531
Made In : Pakistan



NOMEX BY DUPONT®

Nomex Flame Retardant Coverall

- 25MM Anti Flame Retardant Reflective Tape Sleeves, Back and Shoulders.
- 2 Swing Pockets with Side Access
- Brass Zip Front with Cover Placket
- 2 Breast Pockets one with Flap Button
- 2 Back Pockets One with Flap Button
- Pen Pocket on Left Hand Sleeve
- Quality Elasticised Back
- Color : Red, Royal Blue, Yellow
- Brand : Nomex 150 Gsm
- EN 531 A B1 vvC1
- Reflector EN 471

Made In : Pakistan



Firman Suite From Uk (Bulldozer)

Outer Layer of the Jacket is Made of D 10/2/150-n, (Nr. 70/79),- 100% Cotton (280 g/m2) Non-inflammable Finisz "Pyrovatex" (Technology Ciba-Geige) Made By "Frotex" S.A. The Internal Elements of the Jacket and the Trousers (Pockets, Hems) are Made of Non-burning cotton Pyrowatex-d 10/2/150-n.11. the "Fire-Brigade" Marks or Other are Made By thermo Transfer or Silk-screen Printing Technics with Velcro Strips are Made Out in Black Against at Fluorescent Slow-burning Fabric. The Along the Whole Perimeter Above the Warning Bands. The "Firebrigade" Mark in Front of the Jacket in Attached with Velcro on the Left Breast Below the Warning Bands. The "Firebrigade" Marks on the Special Clothing Have the Following Dimensions:

- Front: Fabric 5 X 15 cm, Letter Height 2.5 cm, Length of the Inscription 11 cm;
- Back: Fabric 12 X 34 cm, Letter Height 7.7 cm.



Firman Boot Malasia (Bulldozer)

Technical Specification for Article: Bd9788
Color : Black / Yellow
Size Range: Euro: 37 - 48, UK : 4 - 13
Type of Construction Vulcanized Rubber Upper and Sole.
Compliance : European Standard, CE Approved - EN 345-2:1996. CSA-Canadian Standards Association.
ANSI -American National Standard Air Pressure Applied for Water Leakage Testing 50 KPA, Lining Material
Leg Lining: Woven Cotton Canvas Weight (min.) 250g/m2 Thickness (min.) 0.60mm
Insole Lining : Woven Sheeting
Weight (min.) 140g/m2



Thickness (min.) 0.30mm.
Rubber Components
Upper : Black in Color, 65% Natural Rubber 30% Styrene Butadiene Rubber and 5% Chloroprene Rubber.
Foxing : Yellow in Colour, 65% Natural Rubber 30% Styrene Butadiene Rubber and 5% Chloroprene Rubber.



Fire Blanket

Size: 1.2 Mtr X 1.2 Mtr, 1.2 Mtr X 1.5 Mtr, 1.8 Mtr X 1.8 Mtr 30 Mtr and 50 Mtr Fabric Roll Material:
Fiber Glass - Packing : PVC Hard Box, Temp. 550°c



Firman Gloves Uk (Fireman)

Stitching: All Stitching is of Heat Resistant Kevlar 30/3 Thread or Equal with A Minimum of 8 Stitches Per Inch.
Sizing: The Gloves are Available in Eight Sizes: X-Small, Small, Medium, Large, X Large, 2X-Large and 3X-Large



Aluminium Foil Fire Resistant Suit

Spec.: Large Size Packing: 1 Set / Carton, Temp: 550° C

Firman Helmet From (Croatia)

- Flame Retardant High Temperature Resistant Copolymer Plastic
- Long-Term Resistance to 140° C / 30 min, 250° C / 15 min
- European Standards Conformity (EN 443/1997)
- Full Head Protection, Including Neck and Face
- Poly Carbonate Anti-Scratch and Anti-Fog Coated Visor (EN 166)
- Removable Neck Protector Made of Genuine Leather (Optional Aluminized Carbon-Fiber)
- Interior Shock Absorber Made of Polyurethane Foam
- Integrated Adjustment System (Ranging from 52 to 62cm)
- Interior Ventilating Channels Enable Safe and Comfortable Work
- Luminescent and Reflective Tapes Visible from Both Sides and in All Conditions
- Established and Worldwide Approved Design
- Ready to Use with a Full Face Mask



Al 145 Alluminized Gloves

Material: Aluminized Coating Heat Reflection/Resistance, Max: 800 Degrees Glove Length: 16° C



Heat Resistant & Water Repellent Gloves

Art. No. AJ 1505, Temp. : 500° C



American Safety
High Class Safety Shoe
Cow & Buffalo Split Leather
CE Approved EN 345
Steel Toe and Plate 200 Jules
PU Out Sole, Size : 39 to 46
S3 Standard
Art No. : K 027



American Safety
Cow & Buffalo Split Leather
Low Ankle EN 345,
Steel Toe and Steel Mid Plate
PU Out Sole, Size : 39 to 46
S3 Standard
Art No. : K 025



Power Welder Boot:
Cow & Buffalo Split Leather
Steel Toe and Mid Sole
Size : 40 to 45
S3 Standard
Art No. : W 27



Worker:
Sole : Dual Density PU
Cow & Buffalo Split Leather with Steel Toe
and Steel Mid Sole Confirmed
EN 345 Standard
S3 Standard
Art No. : W 64



Jogger:
Sole : Dual Density PU
Brand : Jogger
Cow & Buffalo Split Leather
EN 345, Steel Toe and Steel Mid Plate
PU Out Sole, Italian Design
Low Ankle, Size : 39 to 46,
S3 Standard
Art No. : SA 9951 B

JOGGER SHOES



Jogger:
Sole : Dual Density PU
Brand : Jogger
Cow & Buffalo Split Leather
Full Ankle EN 345,
Steel Toe and Steel Mid Plate
PU Out Sole, Italian Design
Size : 39 to 46
S3 Standard
Art No. : SA 995



SAFETY JOGGER SAFETY SHOES

Safety Jogger Bestboy S3 & Safety Jogger Bestrun S3
Sole : Dual Density PU
Toecap : Steel, Midsole : Steel
Lining : Cambrella, Insole : Premoulded
Size Range : 36-47, Weight (s.41) 600 gr.
Certificate No. : LEC FI00330324 (CES3), EN345
S3 Standard
Art No. : Classic S3-S1P SRC



Cofra Safety Shoes
Brand : Cofra
Upper : Water repellent leather
Lining : Texelle breathable, it absorbs and releases moisture, abrasion resistant
Fussbett : Full piece, anatomic, holed, removable, antistatic, covered with texelle
Outsole : PU flex-sole
Width : 11 Mondopoint
Sizes : 38 - 48
Art No. : Volga S3 UK SRC



Cofra safety shoes
Brand : Cofra
Upper : Cow & Buffalo Split Leather
Lining : Texelle Breathable, It absorbs and releases moisture, Abrasion resistant
Fussbett : Full piece, anatomic, Holed, removable, antistatic, Covered with texelle
Outsole : pu flex-sole
Width : 11 mondopoint
Sizes : 36 - 48
Art No. : Danubio S1 P SRC



American Safety Shoes

- Brand : American Safety
- Upper : Yellow Nubuck (TW020)
 - Upper : Brown Nubuck (TW966)
 - Lining : Cambrella
 - Midsole : Rubber
 - Toe : Steel Cap
 - Construction : Goodyear Welt
 - Oil Resistance Antislip Techno Felex Standard : EN 20345
- ART No.: TW020-1 & TW966**



ART No.: TW020-1



ART No.: TW966



ART No.: TW315



ART No.: TW103

American Safety Shoes

- Brand : American Safety
- Upper : Brown & Black Full Grain Leather
 - Lining : Cambrella
 - Midsole : Rubber
 - Toe : Steel Cap
 - Construction : Goodyear Welt
 - Oil Resistance Antislip Techno Felex Standard: EN 20345
- ART No.: TW315 & TW103**





Art No. : 500 - Safety Nitrilic PVC Boots CE EN ISO 20345 S5
 - Upper: PVC Made in Italy
 - Sole: PVC/Nitrile
 - Blended Compounds Resistant to Lime, Industrial Oils, Petroleum, Fats, Acid and Caustic Soda as Requested by CE EN ISO 20345 S5
 - Steel Toecap - Steel Midsole - Antislip EN 13287/04 - Antistatic
 - Energy Absorption on Seat Region - Reinforced Toe and Heel
 - Ankle Protection - Resistant at Low Temperatures - Sizes Available: 36 - 48
 - Packing: Nylon Polybag - Cartons: 5 or 6 Pairs

MV Colors:
 - Yellow with Black Sole (Safety G) - Green with Black Sole (Safety V)
 - Black with Black Sole (Safety N)
 - White with White Sole (Safety B) Certificat of Omologation CE EN ISO 20345 S4 N° 17705312
 of 01/08/2005 Certificat of Omologation CE EN ISO 20345 S5 N° 17705311 of 01/08/2005



Art No. : 500 **Art No. : 45 - L2061**

- Upper: PVC - Sole: PVC **Made in Europe**
 - Blended Compounds Resistant to Lime, Industrial Oils, Petroleum, Fats, Acid and Caustic Soda as Requested by CE UNI EN 347
 - Antislip - Antistatic - Energy Absorption on Seat Region
 - Reinforced Toe and Heel
 - Ankle protection - Resistant at Low Temperatures
 - Sizes Available: 36 - 48 - Packing: Nylon Polybag
 - Cartons: 10 Pairs
 Available also
 Green with Honey Sole (Art- 45 - L2060)
 Green with Black Sole (Art. 45 - L2062)
 Black with Black Sole (Art. 45 - L2061)
 Certificat of Omologation
 CE UNI EN 347 N° 17700431

Art No.: 600 S5

Standard Colors			
Black/Black	Green/Black	Yellow/Black	White/Black

Special Colors	
Upper	Sole
Black	Red
Black	Green
Blue	Red
Blue	White
Green	Honey
White	Green

• Steel Mid Sole and Steel Toecap Antistatic Anti Slip
 • Energy Absorption on Scat Reagion Resistant to Lime, Industrial Oils, Oils and Fule Resistant.

Sizes : 40 - 46
 Cartons : 6 Pairs
 Packing : Poly Bag

Made In Italy
 CE EN ISO 20345 S4
 with Only Steel Toecap



Art. 60B "Food Industry"
 Safety Nitrilic Pvc Long Boots
 CE EN ISO 20345 S4
 Standard Color White/Grey
 Special for Food Industry, Anti Animal Fats
 Steel Toecap
 Antistatic
 Anti Slip
 Energy Absorption on Scat Region
 Resistant to Lime, Industrial Oils and Fuel Resistant
 Sizes: 40 - 46
 Cartons: 6 Pairs
 Packing: Poly Bag



Art No. : GT - 1999



Art No. : BB - 1920



Art No. : BY - 1922



Art NO. : 1917

Safety Rain Boots
 Black / Yellow & Yellow / Black
 Size : 38-46, Height : 370mm-395mm
 Steel Toe & Steel Plate
 100% PVC, PVC Injection, Oil, Acids, Alkalis & Fats Resistant.
 For Mining, Oil Field, Farming, Chemical Related Industries
 General Construction Etc., EN 345. 99. S5. CE, Brand : American Safety



Power Tool®
HEAVY DUTY



Fiber Helmet
GM-6 Safety Helmet (FRP)
EN3971 : 1995 + A1 2000
 Material: Fiber Reinforces Plastics
 Characteristic: Both The Sides are Painted by Environmental Oil, Good Appearance & Steel. The Hat Block Was Designed Into Dome With Small Fringe. It Can Resist High Temperature & Coldness. It Obeys The GB2811 -2007. Standard: You Can Match It With Many Kinds Of Adjustable Suspension.



Brand : American Safety
 Plastic Quality
 Type : GM-F
 Material : Shell Material PP & Material PE
 Size 53-63 cm
 EN 397 : 2000
 Art No. 063

Non ventilated helmets with push and twist lock ratchet adjustment making it suitable for various head sizes. Plastic Suspension: 8 PT suspension
 Rain Channel: Ratchet system



Brand : Power Tool
 Plastic Quality
 Type : 1-Class G ABS
 Material: PP & Material PE
 Ventilation design
 Size 53-63 cm
 EN 397 : 2000
 Art No. 313



Brand : Power Tool
 Plastic Quality
 Type : 1-Class G ABS
 Material : Shell Material PP & Material PE
 Size 53-63 cm
 EN 397 : 2000
 Art No. GM-3



Safety Bump Caps
 Designed for light protection against impact with ABS shell and foam spacer. Ventilation holes prodides users comfortable feeling.
 Color : Yellow, Navy Blue & Black
Art No. : BC 786

Large Printable Area for Company Logos

Attractive, Modern Design

ABS - 313

Variable Air Vents at the Front and the Back of the Helmet

ABS Helmet for Real Wear Comfort for Fixing Ear Muff

Size Adjusters



1. ABS Quality Shell and Any Color is Available
 2. 4-Points Textile and Ratchet Harness
 3. Confirm to CE EN397 Standard
Art No. : PE-501



Helmet Elastic Chinstrap Art No. : 775

1. PE shell and Any Color is Available
 2. 6-Points Plastic and Plug Harness
 3. Confirm to CE EN397 Standard

Ratchet Wheel

Textile and Ratchet Harness

Safety Helmet with Ratchet Wheel
 PE Plastic & ABS High Density
 EN 397,
 Color : White Yellow, Green, Red, Blue, Gray, Orange
 Brand : American Safety

Available Colors :-





M.A.33
Blue Frame/ Dark AF Lens
Ansi Z87

Welding Goggles

Soft Vinyl Frame, Indirect Ventilation Available Frame Color, Clear, Green Blue, Black & Red. Available Lens : Darkening Welding Lens, Clear PVC Lens Metal Mesh Normal Packing Clear Polygag with Header Card.

Item Lens

- MA - 99** Polycarbonate Screen in Clear Color
- MA - 72** Polycarbonate Screen in Grey Color



M.A.72
Black Frame L/O Mirror Lens
Ansi Z87.1



AB 77
Clear Lens
Comply with
Ansi Z87.1 CE EN 166F



NO TF 12 D
Yellow



NO 49
Black Lens
Comply with
Ansi Z87.1 2003 CE EN 166F





NO 81
Smoke Lens & Outdoor
Comply with
Ansi Z87.1 2003 CE EN 166F





MODEL NO.: A-B	
DES.	MATERIAL
FRAME	NYLON
FRONT ARM	NYLON
TIP	PC
SCREW 2.5*1.6*7.5	NICKEL SILVER
LENS :2.15 (THICKNESS)	PC

Dimension: Certificate:
Weight : 36 Grams Ansi / CE
Frame Width : 141mm
Tips Width : 100mm
Temple Length : 100.5mm



MODEL NO.: N-O	
DES.	MATERIAL
FRAME	NYLON
FRONT ARM	NYLON
TEMPLE TIPS	PC
NOSE PAD	RUBBER
SCREW 2.5*1.6*6.0	NICKEL SILVER
LENS : 2.36 (THICKNESS)	PC

Dimension: Certificated :
Weight : 28 Grams Ansi / CE
Frame Width : 136 mm
Tips Width : 85 mm
Temple Length : 90 mm



S.A 13
Black Lens
Comply with
Ansi Z87.1 CE EN 166F



S.A 12
Clear Lens
Comply with
Ansi Z87.1 CE EN 166F



PA 88
Clear Lens
Comply with
Ansi Z87.1 CE EN 166F



PA 44
Black Lens
Comply with
Ansi Z87.1 CE EN 166F



A.Q 89
Smoke Temples with
Blue Mirror Lens
Comply with
Ansi Z87.1 CE EN 166F



A.Q 55
Clear Temples with
Clear Lens
Comply with Ansi Z87.1
CE EN 166F



AN 80
Black Lens
Comply with
Ansi Z87.1 CE EN 166F





K 94
Black Lens
Comply with
Ansi Z87.1 CE EN 166F



AN 81
Clear Lens
Comply with
Ansi Z87.1 CE EN 166F



MODEL NO.: S-A	
DES.	MATERIAL
FRAME	
FRONT ARM	
TEMPLE	PC
SCREW	
LENS :2.23 (THICKNESS)	PC

Dimension: Certificate:
Weight : 44 Grams Ansi / CE
Frame Width : 143mm
Tips Width : 100mm
Temple Length : 121mm



MODEL NO.: P-A	
DES.	MATERIAL
FRAME	NYLON
FRONT ARM	NYLON
TEMPLE TIPS	PC
SCREW 2.5*1.6*8.0	NICKEL SILVER
LENS : 2.45 (THICKNESS)	PC

Dimension: Certificate:
Weight : 26 Grams Ansi
Frame Width : 135mm
Tips Width : 85mm
Temple Length : 115mm






Gas Welding Goggle
Lift-Front Type Lenses Holder,
Used for Both of Welding and
Chipping Operations
Art No.: GW250



Gas Welding Goggle
Used in Gas Welding, Cutting and
Brazing Operations, Scale No. 5-4.1
Art No.: NP1064



EARPLUG
with Case, Keychain &
Neck String
Art No. NP353



Silicon Ear Plug
NPR 26db, Available With Or
Without Cord.
CE EN352-2 Approved,
(1 PC Polybox, 100 Pcs In Packet,
1000 Pcs In Carton)
Art No. SEP 4951



Dust Goggle [CE EN166] [Ansi Z87]
Used For Average Dust Condition, Lens 1.5mm
Art No. SG152



Earmuff
Color: Black, Blue & Red Very Comfortable
To Wear, High-Impact ABS Ear Cup,
Foam PVC Head Cushion, Suitable
For Continuous Use Over Long Periods
Art No. EM92



EARMUFF
Light In Weight, It Can Be Worn In
3 Positions-Overhead, Behind Neck
Or Under Chin
Art No. EM62



Welding Helmet
[CE] [Ansi Z87] [CSA Z94.3]
(Lenses Not Included)
Lens Size: 4-1/4" x 2"
Toughness and Moisture Proof,
Lift-Front lens Holder are Insulated,
Polypropylene Shell **Art No.: 633**



Clip-cap Welding Helmet
[Ce] [Ansi Z87]
(Caps & Lens Not Included)
Lift-Front Lens Holder,
Lens Size: 4-1/4" x 2"
Polypropylene Shell, With ABS Bracket.
Art No.: 6PA2



[CE] [Ansi Z87] [CSA Z94.3]
(Grainding Face Shield)
Head Band Clear Splash Proof
Art No.: F.S 9213



Brow Guard
[CE] [Ansi Z87] [CSA Z94.3]
Impact-Resistant ABS Brow Guard, Yellow,
With Ratchet Headgear HG1,
USE with "FC" Sries Visor
Art No. B1YE



Face Shield Visor
[CE] [Ansi Z87+] [CSA Z94.3]
(Polycarbonate, Clear
8" X 15-1/2" X 1.0mm, Aluminum Boundry)
For High Impact, Penetration,
Heat & Splash Resistance.
Art No. FC48



A2 Visor Bracket
[CE] [Ansi Z87]
Impact-Resistant ABS Use, with "FC" Sries Visor,
Fit With Regular Safety Cap

RAIN SUIT AND RAIN COAT



Art No. : RC 2122 | Art No. : RC 2122 | Art No. : RC 2122

PVC / Polyester / PVC Rain Coat
 Front : 0.28 to 0.32mm PVC / Polyester / PVC,
 Attached Hood with Drawstring and Stoppers,
 Storm Front with Zipper and Snaps Closure,
 Ventilated Cape Yellow and Green Underarm Air Vents,
 Inner Wind Cuffs 2 Pockets with Flaps in Front



PVC / Polyester / PVC Rain Suit
 Fabric : 0.28 to 0.32mm PVC/Polyester/PVC
 Detachable Hood with Drawstring and Stoppers
 Storm Front with Plastic Snaps Closure
 Ventilated Cape Back and Underarm Air Vents
 2 Slash Pockets with Flaps Front
 Sleeve Opening Adjusted by Plastic Snaps
Style No. RC 2117



Art No. : 1653

Art No. : 1651

Art No. : 1653

Florescent Color Parka with Reflective Tape

Color : Yellow, Orange & Navy Blue
 Size : M, L, XL, 2XL, 3XL & 4XL
 Outshell : 170T Polyester/PVC,
 Lining : 190T Polyester Taffeta

Padding : 180g/m2 100% Polyester
 Quilted in the Way of Diamond
 Local Reflective Tapes up to,
 EN343 & EN471 Class II Standard.



Parka

Style No. FY 1653

3 in 1 Parka

Outjacket:

Fabric : 0.18mm 170T Polyester with PVC Coating
 Color : Navy Blue
 Attached Hood Concealed in the Collar with
 Drawstring and Stoppers.
 Storm Front with Zipper and Cupreous Snaps Closure.
 1 Mobile Phone Pocket on Left Chest.
 1 Pocket with Flap on Right Chest.
 2 Pockets with Flap in Front.
 Waist Adjustable with Drawstring and Stoppers

Interactive Jacket:

Outfabric : 170T Polyester Taffeta
 Lining 100% Cotton Checkers
 Padding : 100% Polyester 160g/m2
 Attached to the Outjacket with Cupreous Snaps.
 Front with Cupreous Snaps Closure.
 Corduroy in Inner Collar.
 Detachable Sleeves with Zippers.
 2 Pockets in Front.
 1 Inner Pocket on Left Chest.
 Adjustable Snaps on Both Sweep Sides.
 Rib Cuffs



PVC / Polyester / PVC Apron
 Size : 120 x 90 cm
 with 2 Cotton Rope for Fasten
 1 Mtr. Length
 Color : Yellow, Navy Blue & Green
Art No. RC 2125

SAFETY BELT & HARNESS



Double Snap Safety Hook
 Scaffolding. Opening 60mm



Fall Protection Safety Harness Polyester Web Stress
 1.8 Mtr Polyester Lanyard width 60 mm Opening Scaffolding
 Hook 22KN 1 Carabiner Hook and 3 D Ring
 EN 361 **Art No. : H313**



American Safety - Industrial Safety Belt
 1. Two Side D-ring (Positioning) and Tool Bag;
 2. 1-Point Adjustability.
 3. 14 mm Shock Landyard, Length 1.5 M
 4. Single Locking Snap Hook At The Attachment
 5. 58 mm Polyester Webbing
Art No. : H 550



Fall Protection Safety Harness & Shock Absorber
 1.8 Mtr Polyester Lanyard
 Width 60 mm - 2 Scaffolding Hook 22 Km
 1 Carabiner Hook - EN 355
Art No. : Y 904



Fall Protection Safety Harness Polyester Web Straps
 Chest & Leg Adjusting, Back Support Belt
 EN 361 ISO Certified
Art No. : H. 1110



Carabiner Screw Locking Snap Hook
 Opening 16 mm
 EN 362



Energy Absorber Nylon Rope Lanyard
 With 60mm Opening Scaffolding Hook
 CE EN 355
Art No. : SO 571




Fall Protection Safety Harness Polyester Web Straps.
 Chest & Leg Adjusting Scwre Locking Snap Hook
 Web Color : Orange, Green and White
 EN 361, ISO Certified,
Art No. : H. 330



Nylon Rope Lanyard
 1. One Snap Hook
 2. 1.5 Mtr. Nylon Rope
 3. One Scaffolding Hook EN 361
ART NO. : L 450



Safety Shock Absorber
 Brand : American Safety
 1 Scaffolding Hook, 1.00 Meter
 Webbing Rope with Elastic EN 355
ART NO. : R2



Safety Shock Absorber
 1. Webbing-material: Polyester, Width: 30mm; Net Length: 1.3 M
 2. One Carabiner Two Scaffolding Meet CE EN 362 Standard
 3. One Shock Absorber With Rugged Polyester Cover
Art No. : S/H B-6



Tyvek By Dupont® Disposable Coverall
Dupont Tyvek Coveralls are Made with Dupont's Unique Non Woven Technology for Comfortable, Inherent Barrier Protection Against Dry Particulate Hazards and Light Liquid Splash Set Sleeve Pattern for Greater Arm Movement. Even After Abrasion, Stop Sub Micro Particles Better Than Reusable Garment. Serged Seams. Zipper are Non Sparking, White. This Coverall Features A Hood to Cover Head and Hair and Elasticized Wrist to Protect Arms Sizes : Small To 4 XL



Surgical Face Mask
3 Ply Paper with Welded Elastic Band Without Glass Fibres, Nose Bar Adaptable, Good Fitting, 50 Pcs. in Box - 40 Boxes in, Carton (2000 pcs)
Art No. 3922



Disposable Coverall
Size : M To 4XL
Similar to EN 340
Brand : Prime Captain
Excellent Protection Against Dust, Liquid Splashes & Organic Chemicals Durable SMS Breathable Fabric for Comfort & Keeps Out 99% of Particles Larger Than 1µm Micron Repels Splash From Aqueous Liquids Triples Stitched Seams to Protect Against Tearing Silicon Free for Critical Areas Offers Protection Dust and Fibres Including Asbestos Protects Work Clothes From Dirt & Grime Improved Design For Better Fit & Movement, Elastic Wrist & Ankles Generous Sizing With Extended Zip for Increased Comfort Suitable for Manufacturing Maintenance, Construction & Building Trades Contact Cleaning & Utilities - Packed In Cartons of 50



HY 98890: Nuisance Dust Mask
Specifications:
• Not NIOSH, CE and AS/NZS Approved.
• Polyester Needle-punched Filter Material (260g/m2) And Shape E-comfort Model And Bigger Size.
• Disposable, Lightweight, Comfortable, Odorless, Fiberglass Free, Low Breathing Resistance and Non-Irritating to the Skin.
• Soft Metal Nosepiece Adjusts Closely Over Bridge of Nose.
• Protection Against Non-toxic Particles and Nuisance Dusts, Such as Workshop, Cleaning, Pollen, Sweeping, Gardening, Farm Work, Etc.
Made In Taiwan



HY 8220: FFP2 Dust / Mist Respirator
Specifications:
• Conforms to European EN 149:2001 FFP2 Standards With CE 0086 Marking. BSI CE Certificate Number 70730.
• Foldable Design, Seal Edge Avoids Open Layers and Eliminates The Possibility of Irritation.
• Low Breathing Resistance For Increased Wearer Comfort. Soft Edges Fit Different Facial Shapes With Minimum Leakage.
• Polypropylene (P.P.) Outer/Inner Layers Provides Smooth Lining and Comfortable Feel.
• Heavy-duty Head Straps, Adjustable Nose Clip And Soft Foam Nosepiece For Comfortable Custom Fit.
Made In Taiwan



HY 8222: FFP2 Valved Dust / Mist Respirator
Specifications:
• Conforms To European EN149:2001 FFP2 Standards With CE 0086 Marking. BSI CE Certificate Number 70730.
• Foldable Design, Seal Edge Avoids Open Layers and Eliminates The Possibility Of Irritation.
• Low Breathing Resistance For Increased Wearer Comfort. Soft Edges Fit Different Facial Shapes With Minimum Leakage.
• Heavy-duty Head Straps, Adjustable Nose Clip and Soft Foam Nosepiece For Comfortable Custom Fit.
• Exhalation Valve Reduces Hot Air Buildup and Easy Breath In Hot/humid Environments.
Made In Taiwan



HY 8622: FFP2 Valved Dust / Mist Respirator
Specifications:
• Conforms To European EN 149:2001 FFP2 Standards With CE 0086 Marking. BSI CE Certificate Number 70730.
• With Collapse Resistant Double Shell Construction Made To Withstand Hot and Humid Conditions.
• Low Breathing Resistance For Increased Wearer Comfort. Fringe Seal Avoids Open Layer Around The Edges.
• Latex-free Head Straps, Adjustable Nose Clip and Soft Foam Nosepiece For Comfortable Custom Fit.
• Exhalation Valve Reduces Hot Air Buildup and Easy Breath In Hot/humid Environments.
Made In Taiwan



HY 8632: FFP3 Valved Dust / Mist Respirator
Specifications:
• Confirms To European EN149:2001 FFP3 Standards With CE 0086 Marking.
• With Unique Design Provides Very Low Breathing Resistance.
• Polypropylene(P.P.) Outer Layers Provides Smooth Lining and Avoids Loose Fibers. Fringe Seal Avoids Open Layer Around the Edges.
• Contoured Facial Seal, Fully Adjustable Head Straps and Adjustable Nose Clip Offer A Comfortable Secure Fit.
• Exhalation Valve Reduces Hot Air Buildup and Easy Breath In Hot/humid Environments.
Made In Taiwan



Nitrile Gloves
Brand : Safety1stSafety
100% Latex Free, Power Free, Ambide Trous, Non Sterile, Single Use Only. Packaging : 100 Pcs. Size Available: Small, Medium, Large & X-Large. Standard Level : EN455, Made in China, Art No. : LG 246



Latex Examination Gloves
Brand : American Safety
Power Free, Ambide Trous, Non Sterile, Single Use Only. Packaging : 100 Pcs. Size Available: X-Small, Small, Medium, Large & X-Large. Standard Level : EN455, Made in Malaysia Art No. : LE 245

PROMAX MASK™

This mask can be worn continuously for more number of hours as compared to normal mask



PS410 SL - FFP1 NR
Grey Color Fabric Flat & Fold 'C' Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol & Paraffin Oil Mist Test without Valve & Electrostatically Charged Electret Filter Media more than 80% Filtration, Tested at 0.3 Micron. CE Mark EN149 : 2001 + A1 : 2009



PS410 SL - FFP2 NR
Blue Color SMS Fabric Flat & Fold 'C' Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol & Paraffin Oil Mist Test without Valve & Electrostatically Charged Electret Filter Media more than 94% Filtration, Tested at 0.3 micron. CE Mark EN149 : 2001 + A1 : 2009



PS410 SLVA - FFP1 NR
Yellow Color SMS Fabric Flat & Fold 'C' Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol & Paraffin Oil Mist Test without Advance Not-returnable Valve (NRV) & Electrostatically Charged Electret Filter Media more than 80% Filtration, Tested at 0.3 Micron. CE Mark EN149 : 2001 + A1 : 2009



PS400 S - FFP1
Yellow Color SMS Fabric Flat & Fold 'C' Type Filtering Half Mask Against Solid Particles with In-Built Nose Clip & Electrostatically Charged Electret Filter Media More Than 80% Filtration CE Mark EN149 : 2001 + A1 : 2009



SAFETY®
SAFETY

EN136: 1998



GM-07AA Full Mask (Canister)
Materials : High Quality Silica Gel

Features: The High-Quality Silica Gel is Anti-aging, Anti-allergic, and Easy to Clean; the Design is According to the Human Body, Combined with Three-Dimensional Characteristics, to Suit Different Faces. With Extra-Wide Window Structure, the Window is Made from PC Material, Anti Fog Inside, Anti-friction Outside. The Headband is Fixed by Five-Point, Making Adjustment Simple. It can match with Various Pipes, Canisters and Air Ventilators.

EN140: 1999



GM-05003B Gas Mask (Cartridge)
Materials: Rubber

Features: The Main Part of the Mask is Molded by Non-toxic Rubber; the Poison Filter is Standard, Can Connect to Other Pipes or Small Canisters. The Poison Filter is Made of Transparent Material, So you can see the Absorption of the Activating Carbon.



EN140: 1999

GM-0503D Gas Mask (Cartridge)
Materials: High Quality Silica Gel

Features: He High-Quality Silica Gel is Anti-aging, Anti-allergic, and Easy to Clean; it Wears Conveniently; Spiral Interface Make it Easy to Change Cartridge.



EN140: 1999

GM 303 & 306

GM 304 & 305



Single Cartridge 303 & 306 Double Cartridge 304 & 305 Chemical Dust & Gas Resistance Mask

Technique Files of Dust Mask Against Organic Gas/Acid Gas Test Project Standard

1. Mask Appearance Mask Looks Smooth, No Bubbles, No Burr, no Effect on Gas-tight Defect
2. Components with Strong > 49N
3. Mask of Air Flow Resistance < 20Pa
4. Airtight of Valve > 20s (Humidity: 17-30OC, Relative Humidity : < 75%)
5. Aging of Valve After Adding from 8 Hours Under 100+20C is not Sticky, Non-Deformed; Air Flowresistance >20s
6. Mask Leakage Coefficient <5%
7. Field of View Binocular vision : >65% Below:>35o

GM-0503E Gas Mask (Double Cartridges)
Materials: High Quality Silica Gel

Features: The High-Quality Silica Gel Anti-aging, Anti-allergic, Easy to Clean; it Wears More Fixed Because of the Four-points; The Double Cartridge Configuration Extends its Anti-virus Preparation Time and Reduces the Inspiration Resistance.



Item	Cartridge	Cartridge
9502-3000	1	Dust
9502-3004	1	Cart
9502-3100	2	Dustridge
9502-3104	2	Cartridge
FTR 3000	Dust Cartridge	
FTR 3004	Chemical Cartridge	

Please specify color of face piece: Black (BK) Green (GN). Blue (BE), Please also specify Packing

ROAD SAFETY EQUIPMENTS



Fabric : 100% Digital Net (Mesh)
Fluorescent Yellow, Orange
Size : Free
Art No. : KF-009



Reflective Vest, Green
Net Type, Nylon Fabric with
Both Side 2" Wide Reflective Tapes,
with zip and Pocket
Art No. : KF 0014



CE EN471 Class II
Fabric : 100% Polyester Tricot
(Oven, Oxford or Mesh)
Fluorescent Yellow, Orange
Type : Conform to Requirements of EN471
Size : Free
Art No. : KF-005



Reflective Vest Green
Net Type, Nylon Fabric with
Both Side 2" Wide Reflective Tapes,
Transparent Pocket Velcro
Art No. : KF 003




W 1829002
4 Pcs. High Brightness LEDs,
High Visibility (>500m);
Working Mode : Flashing-Bright
Flash Frequency : 60/min
Voltage : 6V (4R 25) with photoresistance,
Automatically flashing night and close daytime;
Colors : Amber, Red, Yellow and so on
Packing : 12 pcs/carton
Carton size : 480x380x350mm



WL 1829005
4 Pcs. High Brightness LEDs,
High Visibility (>500m);
Working Mode : Flashing-Bright
Flash Frequency : 60/min
Voltage : 6V (4R 25) with photoresistance,
Automatically flashing night and close daytime;
Colors : Amber, Red, Yellow and so on
with Metal Bracket for Fixing
Packing : 12 Pcs/carton
Carton size : 480x380x350mm



**Heavy Duty Battery For
Flashing Lamps**
Art No. : 9001040



Baton Light
Traffic Control Baton Light
with 3 System
Art No. : KF 0012



Art No. : 823001


Road Work Light (With Lock)
Lampshade : PS
Battial Carpace : HDPE
Light - House 2 pcs. LEDS
Flash Frequency : 60 Flash/Min.

For Two 6V 4R25 Batteries
Battery Lift : 600-650 / 650-700
Continuous Minutes
Visible Distance 250-300 Miter



PVC Chain

Diam 6 cm



Safety Fencing
Safety Fencing is Used to Cordon Off Danger Areas at Construction,
Make Work and Excavation Sites. Also Used From Cowed Control
and to Designer Areas and Routes at Ski Resorts, Sports Fields Etc.
Heavy Duty Extruded Orange Poly Thine Designed
to With stand the Elements. Temperature Range -40 °F to +200 °F

Weight Roll	Size (m)
g/m2	L W
100/120/160	50 1.0/1.2
200/240/280	50 1.5/1.8

Color : Orange / Yellow



109003


Traffic Cone (PE)
Height : 100 cm
Weight : 5 KG
Top : 5 cm
Base : 50 x 50 x 4 cm



009002

109004

PVC Column
Height : 90 cm
Pole Diam 4 cm
Base Diameter : 28.5 cm
The Base Can Be Injected Water



C8005 High Reflective Fabric (POL)
Color : Grey & White
Width Scope : 1-130 cm
Backing :100% Polyester
Coefficient Of Retro-Reflection R<20
Packing : 100m/100m/roll, Cut For Free
Art No. : HT182613



C8002 High Reflective Fabric (POL)
Color : White
Width Scope : 1-130 cm
Backing :100% Polyester
Coefficient Of Retro-Reflection R<400
Packing : 50m/100
Art No. : HT182614



CY8300 PVC Ribbon Tape
Color : White, Yellow, Red, Green,
Blue, Orange
Reflectivity : 100 cd/lx.sq.m
Width : 2.0/2.5/5.0 CM
Length : 50 m/roll, Material : PVC
Art No. : HT182612



C8018 Reflective Webbing
• Color: Assorted
• Backing: Flurecent Cloth, Polyester
• Width: 1.0/1.5/2.0/.....-5cm
• 50m/roll
Art No. : FT8095



C8018-2 Reflective Webbing
• Color : Green & Orange
• Backing : Oxford
• Width : 1.0/1.5/2.0/.....-5cm
• 50m/roll
Art No. : FT8090



**Fabric 2 Shade Reflective Tape
(Day & Night)**
Color : Fluorescent Sliver, Yellow
Size : Width 5 CM
Length 50 Mtr. Roll
Brand : 3M & American Safety
Art No. 8070

ROAD SIGNS

PVC Vehicle Tape



Advertisement Grade

Reflective Sheeting
CY3100 Series PET Type
Color : White, Yellow, Red,
Green, Blue, Orange, Black
Size : 1.24 x 45.7 m/Roll
Art No. : CY3100



CY3100 Sticker


Color : Total White, Red,
Yellow Per Roll
White + Red Square Type
White + Red Diagonal Type
Yellow + Black Diagonal Type
White + Blue Diagonal Type
Size : 5CM x 25m/Roll or 50m/Roll
2.5 x 2.5 m/Roll or 50 m/Roll

CY8021
Material: PMMA, ABS
Unit Weight: 600g
Product Size: 43 x 43 x 43cm
QTY: 10PCS/CTN
N.W./N.W.: 9/10 KGs
Qty/20 FCL: 29 000 Pcs



Series	Type Of Adhesive	Coefficient Of Retro-Reflection (Minimum Value) Observation Angle 0.2°, Entrance Angle 4°							
		Color Numerical	White	Yellow	Orange	Green	Blue	Red	Brown
CY3100	PSA	Standard Value (CPL)	50	25	20	5	3.5	8	3.0
		Test Value (CPL)	50	25	20	8	5	10	4

Traffic Sign Sticker



First Aid Box (For 100 People)

Box Size: 445 X 320 X 150 mm
Made Of Qualified ABS, Heavy & Super Strong,
Suitable For Industry, With Carry Handle, Wall
Bracket & Inside Partition With Covers.

Contents:

Meet DIN14142 In ABS Box Code
Art No. : GKB 300



First Aid Box Content

- Din 13168-D
- Surgical Gloves
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterlie Guaze Pad Small
- Sterlie Guaze Pad Medium
- Sterlie Guaze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 4 PKT
- 2 PKT
- 2 ROLL
- 1 PKT
- 2 PKT
- 20 PC
- 13 PKT
- 12 PKT
- 12 PKT
- 1 PAIR
- 5 PC
- 60 PC
- 1 PC



First Aid Box Content

- Din 13168-D
- Bandage
- Alcohol Pre Pad
- Sterlie Guaze Pad Small
- Sterlie Guaze Pad Medium
- Sterlie Guaze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Cottonball

- 1 PKT
- 1 PKT
- 10 PCS
- 4 PCS
- 2 PCS
- 1 PC
- 1 PAIR
- 4 PCS
- 50 PCS
- 10 PCS

Art No. : GKB 107



First Aid Box (For 50 People)

Box Size: 390 X 275 X 135 mm
Made Of Qualified ABS, Heavy & Super Strong,
Suitable For Industry, With Carry Handle, Wall
Bracket & Inside Partition With Covers.

Contents:

Meet DIN131357 In ABS Box Code
Art No. : GKB 302



First Aid Box Content

- Din 13168-D
- Surgical Gloves
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterlie Guaze Pad Small
- Sterlie Guaze Pad Medium
- Sterlie Guaze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 2 PKT
- 2 PKT
- 1 ROLL
- 2 PKT
- 2 PKT
- 10 PC
- 6 PKT
- 6 PKT
- 1 PAIR
- 5 PC
- 26 PC
- 1 PC



First Aid Box Content

- Din 13168-D
- Surgical Gloves
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterlie Guaze Pad Small
- Sterlie Guaze Pad Medium
- Sterlie Guaze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 1 PKT
- 1 PKT
- 1 ROLL
- 1 PKT
- 1 PKT
- 5 PC
- 3 PKT
- 3 PKT
- 3 PKT
- 1 PAIR
- 4 PC
- 15 PC
- 1 PC

Art No. : GKB 301



Auto Care For 5 Persons

Size: 26.5 x 17 x 8.5 cm
Made of Strong ABS Material
Wall Bracket
Designed for 1-12 Persons
Model: FW25P
Size: 29.5x21.5x12 CM
Made Of Strong ABS Material
Wall Bracket
Designed for 1-25 Persons
Model : FW50P
Size : 31.5x23x12.6 cm
Made of Strong ABS Material
Wall Bracket
Designed for 1-50 Persons
Art No. : FW12P



First Aid Box (For 12 People)

Made Of Qualified Fast Care,
Heavy & Super Strong,
Suitable For Industry, Bracket
Art No. : GKB 102



First Aid Box (For 5 People)

Made Of Qualified Fast Care,
Heavy & Super Strong,
Suitable For Industry, Bracket
Art No. : GKB 103



Kit Contents Small
50 Persons
Burn Gel Sachet
3.5g: 2b ox (6 Pcs/Box)
Burn Dressing
20x20cm: 2 Pcs
Burn Dressing
5x15cm: 3 Pcs
Burn Gel
120ml: 1 Pcs
Burn Dressing
10x10cm: 3 Pcs
Bandage
5cm: 2 Pcs
10cm: 2 Pcs
Art No. : MK204

Kit Contents For Large
25 Persons
Burn Gel Sachet
3.5g: 1box (25 Pcs/Box)
Burn Dressing
30x30cm: 1Pc
Burn Dressing
5x15cm: 3 Pcs
Burn Gel
120ml: 2 Pcs
Burn Dressing
20x20cm: 2 Pcs
Bandage
5cm: 3 Pcs
10cm: 2 Pcs



The Ultimate Headwear For All Seasons!



CBRC-G4 Price: 2,20

- Size: One size fits all **UNISEX**
- Material: CoolMax® fabric, Moisture-absorbent pad for forehead included
- Color: **LGY** **BLU** **BLK**



Unique Mesh Structure
Great breathability

Woven-in Superabsorbent Fiber
High-performance sweat-absorbent pad
The pad collects perspiration running down your forehead!
coolbit® pad keeps your view clear!

Spandex Feature
One size fits all with stretchable material

Neck Cooler Flap



Neck Cooler Plus 2WAY
Cooling Sun-Protection Flap



HCN-TX Titanium CX Neck for Cap Price: 2,800yen

- Size: 45cm x 21cm **UNISEX**
- Material: Titanium x Polyester, μ-func®
- Color: **TIT** x **BLK**



coolbit® Vest Warm/Cool

coolbit® Vest is equipped with 4 water retention packs which has superabsorbent fiber embedded in. It provides cooling effect by evaporation heat. When coolness wears off, soak the water retention packs in water again to regain the coolness. Cooling effect further increases if you put the attached cold packs into the pockets.



Solid coolbit® Realized It! Inner/Outer, Warm and Cool Vest!

CoolMax® Fabric with quick-dry and moist-wicking features keeps you dry and comfortable!



Reflective Tape
Safety at Nighttime work

Velcro Tape
Easy to Adjust Size

Yellow Trim: Antistatic Yarn

Pockets for Water retention pack



6CL-WA2 Price: 6,500yen

- Material: CoolMax® Fabric, Scotchlite
- Color: **GRY** **BLU**
- Features: Platinum Nanoparticle (Clean and Safe), Cold Packs Included, Reflective Tape, Antistatic Features, Antibacterial and Antiodorant, **UNISEX**



4 Water retention Packs Included

- Put a cold pack into a wet water retention pack to make cooling effect last longer!
- Use Heat Packs in Winter for Warm Gear!

Great in winter, too! Put a heat pack into the pocket to make a warm gear!

COTTON RAGS & COTTON WASTE



Round Clip Mop
Weight : 140 Gm To 220 Gm
Color : Bleach & Natural Gery
Clip : Plastic & Metal
Seperate Bamboo & Plastic Stick
Made In Pakistan
Art No. M 992



Spring Clip Mop
Weight : 300 Gm To 400 Gm
Color : Bleach & Natural Gery
Clip : Metal
Seperate Bamboo & Plastic Stick
Made In Pakistan
Art No. M 995



Cotton Rags & Cotton Waste

For Cleaning (Size: 30 cm x 40 cm) 12" To 16" & 18" To 24"
White & Color Hosiery Rags
White & Color Used Hosiery Cloths Rags
White & Color Used Cotton Cloths Rags
Packing Standard: 12 Kg - 25 Kg - 50 Kg



Sterilized Cotton Waste

For Oil Observing For Polishing & Cleaning
Packing Standard: 12 Kg - 25 Kg - 50 Kg
Export To Europe & Middle East Ship Chandlers



Delux Tent
 Available in :
 2 fold (outer cotton canvas inner print lining)
 3 fold (outer cotton canvas middle sheeting
 Black and inner print fabric)
 Sizes Available Meter:
 3x 4, 4 x 4, 6 x 4, 7 x 5, 8x6, 9 x 12, 12 x 12



Truck Cover




Cotton Canvas Tarpaulin
 Medium & Heavy Duty
 No.: 440, Color: Dark Green
 12 Oz To 20 Oz
 Size: 12 x 12 - 12 x 15 - 15 x 15 - 18 x 15 - 20 x 20 - 18 x 24
 24 x 30 - 30 x 30 - 30 x 40 - 40 x 40 - 40 x 60 - 60 x 60

Q & Q GROUPS



Power Tool®



HEAVY DUTY

